

INDEX MAPS.

T. 1N, R. 6E. 2nd Mer.

Outlines of Clarke's Grant 310

	288	289	289	290	290	291					
293	6	305	5	307	4	306	3	310	2	310	1
	305	306	306	310	309						
393	7	304	8	304	9	304	10	309	11		12
	302	303	303	308	309						
292	18	302	17	301	16	300	15	308	14		13
	302	300	301	308							
292	19	300	20	299	21	299	22		23		24
	297	299	298	307							
291	30	297	29	298	28	298	27		26		25
	296	296	295	294							
291	31	295	32	295	33	294	34		35		36
	287	287	287	288							

T. 2N, R. 6E. 2nd Mer.

Clarke's Grant 346

	318-321	318-320	319-320	319-320	319-320	319						
323	6	342	5	346	4	346	3	345	2	345	1	318
	342		343		343		343		344		344	
322	7	342	8	341	9	341	10	340	11	340	12	317
	338		338		339		339		340		340	
322	18	338	17	337	16	337	15	336	14	336	13	317
	334		334		334		335		335		336	
321	19	333	20	333	21	333	22	332	23	332	24	316
	329		330		330		331		331		331	
321	30	329	29	328	28	327	27	326	26	324	25	316
	328		328		327		325		325		323	
321	31	327	32	326	33	325	34	324	35	323	36	315
	313		313		314		314		315		315	

(P The figures on the lines refer to the page.

Township Lines.

South Boundary. Var. 5° 50' E

East on the S. Boundary of Sec 31

5.00 a Brook 10 lbs. wide course SE

6.30 a Beech 16 in. dia.

7.00 loopt brook

18.50 a Brook 10 lbs. wide course NE

21.00 same s course SE

22.00 loopt brook

25.00 a Creek 25 lbs. wide course S

40.00 set g. sec. post from which

a Poplar 18 in. dia. bears N 70° W 7 lbs. dist. 3

a Beech 24 s s s S 47° E 26 s s

Level land, rich soil, timber Beech, Sugar, Poplar &c.

61.00 a Brook 3 lbs. wide course S

66.00 a Beech 18 in. dia.

72.50 a Brook 5 lbs. wide course S

79.50 a Do 20 s s s S

80.00 set post cor. of Sec. 31 & 32 from which

a Sugar 18 in. dia. bears N 73° E 17 lbs. dist. 4

a Do 16 s s s S 14° E 29 s s

Level land, timber Oak, Poplar, Beech &c.

East on the S. Boundary of Sec. 32

12.50 a Creek 20 lbs. wide course SW

14.50 loopt Creek

30.00 a Brook 3 lbs. wide course NW

40.00 set g. sec. post from which

a W. Oak 18 in. dia. bears S 60° W 12 lbs. dist. 13

a Dogwood 4 s s s N 25° E 29 s s

46.50 a H. Oak 36 s s

52.50 a Brook 20 lbs. wide course NW

80.00 set post cor. of Sec. 32 & 33 from which

T. 2 N., R. 6 E. 2. Mer. Ind.^a

a Beech 12 in. diameter N 53 W 28 lbs. dist. 8
 a R. Oak 24 " " " S 36 E 23 " "
 First 1/2 mile uneven land, Beech, Oak &c.
 2. 1/2 mile good level land, Beech, Poplar &c.

East on the S. Boundary of Sec. 33

15.70 a Chesnut 14 in. dia.
 21.50 a Brook 3 lbs. wide course S
 30.50 a B. Oak 30 in. dia.
 33.50 a Brook 3 lbs. wide course S
 40.00 set of sec. post from which
 a R. Oak 14 in. diameter S 47 E 4 lbs. dist. 8
 a Beech 12 " " " N 58 W 17 " "
 Level good Oak land
 51.80 a W. Oak 30 in. dia.
 80.00 set post cor. of Sec. 33 & 34 from which
 a Beech 14 in. diameter S 14 E 18 lbs. dist. 8
 a Do 24 " " " N 53 W 42 " "
 Pretty good Oak land

East on the S. Boundary of Sec. 34

12.00 a Brook 3 lbs. wide course S E
 35.00 a Do 3 " " " S
 40.00 set of sec. post from which
 a Beech 10 in. diameter S 17 W 20 lbs. dist. 8
 a R. Oak 10 " " " N 50 W 27 " "
 Hilly poor Pine land
 40.50 a Brook 3 lbs. wide course S
 50.00 a Do 5 " " " S
 64.50 a W. Oak 24 in. dia.
 67.00 a Brook 2 lbs. wide course S
 76.50 a Do 3 " " " S
 80.00 set post cor. of Sec. 34 & 35 from which

T. 2 N., R. 6 E. 2. Mer. Ind.^a

a Pine 7 in. dia. leans N 36 E 16 lbs. dist. 8
 a W. Oak 10 " " " S 55 W 18 " "
 Very high poor hills, timbered Oak & Pine

East on the S. Boundary of Sec. 35

16.50 a Brook 5 lbs. wide course S

19.00 a Chesnut 24 in. dia.

30.00 a Brook 2 lbs. wide course S

37.00 a Dr 3 " " " S 4 W

40.00 set of sec. post from which

a Chesnut Oak 12 in. dia. leans N 80 E 36 lbs. dist. 8

a Chesnut 12 " " " S 69 W 55 " "

80.00 set post cor. of sec. 35 & 36 from which

a Maple 12 in. dia. leans S 50 E 23 lbs. dist. 8

a Chesn. Oak 18 " " " N 55 E 35 " "

Very high poor hills, timbered Pine, Oak, Chesnut &c

East on the S. Boundary of Sec. 36

38.50 a Brook 8 lbs. wide course S E

39.00 a W. Oak 30 in. dia.

40.00 set of sec. post from which

a W. Oak 16 in. dia. leans S 46 E 33 lbs. dist. 8

a Dr 15 " " " N 76 W 54 " "

Level good Oak land

49.70 a Beech 18 in. dia.

61.00 to Clark's Grant, set post from which

a W. Oak 6 in. dia. leans S 48 W 41 lbs. dist. 8

a Dr 8 " " " N 51 E 16 " "

Generally pretty good Oak land

East Boundary. Var. 5. 50. E.

North on the E. Boundary of Sec. 36

13.30 leave the Grant, set post from which

T. 2 N., R. 6 E., S. 2 Mer. Ind.?

a W. Oak 7 in. dia. bears N 72° W 19 lbs. dist. 8

a Lvs 7 " " " N 16° W 53 " "

40.00 set g. sec. part from which

a W. Oak 10 in. dia. bears S 59° E 6 lbs. dist. 8

a Lvs 12 " " " N 33° W 26 " "

Poor Oak points

59.00 a W. Oak 12 in. dia.

80.00 set part cor. of sec. 25 & 36 from which

a R. Oak 12 in. dia. bears N 54° W 19 lbs. dist. 8

a Cherm. Oak 15 " " " S 61° E 29 " "

Thin Oak land

North on the E. Boundary of Sec. 25

7.50 a Brook 3 lbs. wide course NE

10.00 a W. Oak 15 in. dia.

15.00 a Brook 3 lbs. wide course NW

19.00 a Lvs 20 " " " E

40.00 set g. sec. part from which

a Y. Pine 8 in. dia. bears N 35° E 4 lbs. dist. 8

a W. Oak 10 " " " S 80° W 30 " "

Poor Pine hills

40.00 a Brook 3 lbs. wide course SE

48.00 a Lvs 3 " " " SE

52.00 a W. Oak 14 in. dia.

57.50 a Y. Pine 15 " "

73.00 a W. Oak 15 " " on the top of the highest hill
in all this country

80.00 set part cor. of sec. 24 & 25 from which

a Cherm. Oak 8 in. dia. bears South 14 lbs. dist. 8

a Y. Pine 12 " " " N 14° E 50 " "

Poor Pine hills

North on the E. Boundary of Sec. 24

T. 2 N., R. 6 E., 2. Mer. Ind.^a

- 29.50 a Chesnut Oak 18 in. dia.
 40.00 set of sec. post from which
 a W. Oak 13 in. dia. bears N 39° W 10 lbs. dist. 8 913
 a Pine 6 " " " N 38° E 22 " "
 50.00 a Brook 3 lbs. wide course NW
 60.00 old Indian path, course NW
 80.00 set post cor. of sec. 13 & 24 from which
 a W. Oak 15 in. dia. bears S 39° W 23 lbs. dist. 8
 a Maple 8 " " " N 81° E 27 " "
 Poor Pine hills. August 20. 1806
-

North on the E. Boundary of Sec. 13

- 3.50 a Brook 10 lbs. wide course NE
 33.00 a Creek 30 " " " E
 40.00 set of sec. post from which
 a Beech 12 in. dia. bears S 70° E 43 lbs. dist. 8
 a Lr 12 " " " N 55° W 43 " "
 Rich bottom land, timber Beech, Elm, Poplar &c.
 54.50 a R. Oak 16 in. dia.
 64.00 a Brook 3 lbs. wide course E
 80.00 set post cor. of sec. 12 & 13 from which
 an Ash 6 in. dia. bears S 82° W 22 lbs. dist. 8
 a B. Oak 8 " " " S 17° W 33 " "
 Generally good Meadows land, Beech, Elm &c.
-

North on the E. Boundary of Sec. 12

- 34.00 a W. Oak 8 in. dia.
 40.00 set of sec. post from which
 a W. Oak 10 in. dia. bears N 58° E 12 lbs. dist. 8
 a B. Oak 10 " " " S 24° E 13 " "
 58.00 a Brook 6 lbs. wide course NE
 80.00 set post cor. of sec. 11 & 12 from which
 a B. Oak 6 in. dia. bears S 50° W 43 lbs. dist. 8

T. 2 N., R. 6 E. 2d Mer. Ind. a

a W. Oak 18 in. dia. bears N 24 E 51 lbs. dist. 18
 This mile passes through fallen timber the
 whole way very thick Aspen bushes & grape

North on the E. Boundary of Sec. 1

25.00 a Poplar 10 in. dia.

40.00 set g. sec. post from which

a Beech 16 in. dia. bears S 49 W 17 lbs. dist. 18

a Do 12 " " " N 13 W 22 " "

Brushy fallen timber

55.00 looped brook course N W

62.00 looped Do " " N W

63.00 a Poplar 30 in. dia.

64.00 a Brook 4 lbs. wide course N E. Kept down it

75.00 leave Brook course N W

85.00 set post cr. of S. 2 & 3 N., R. 6 & 7 E. from which

a Gum 16 in. dia. bears N 70 W 22 lbs. dist. 18

a W. Oak 18 " " " N 54 E 24 " "

Generally good Oak land

North Boundary, Random line
 East on S. Boundary of Sec. 31, T. 3 N., R. 6 E

40.00 set temp. g. sec. post

49.00 a Brook 10 lbs. wide course N

80.00 set temp. post for cr. of sec. 31 & 32

East on S. Boundary of Sec. 32, T. 3 N., R. 6 E

17.00 a Brook 20 lbs. wide course N W

52.25 a Do 10 " " " N W

80.00 set temp. post for cr. of sec. 32 & 33

Land very thin & broken, timber Oaks & Hickory
 Underbrush Dogwood

T. 2 N., R. 6 E. 2. Mer. Ind.^a

East on S. Boundary of Sec. 33, T. 3 N., R. 6 E

12.50 a Brook 10 lbs. wide course NNW

40.00 set temp. g. sec. port

71.50 a Brook 15 lbs. wide course NNW

80.00 set temp. port for cor. of sec. 33 & 34

Land good for farming, Beech, Oak & Hickory

East on S. Boundary of Sec. 34, T. 3 N., R. 6 E

40.00 set temp. g. sec. port

60.30 a Road leading NE S

80.00 set temp. port for cor. of sec. 34 & 35

Land the same quality as last noted

East on S. Boundary of Sec. 35, T. 3 N., R. 6 E

24.50 a Brook 20 lbs. wide course NNW

31.50 same s course N

40.00 set temp. g. sec. port

41.50 a Brook course SE

45.00 same s s N

80.00 set temp. port for cor. of sec. 35 & 36

East on S. Boundary of Sec. 36, T. 3 N., R. 6 E

34.00 a Brook 10 lbs. wide course NNW

40.00 set temp. g. sec. port

64.50 a Brook 10 lbs. wide course N

69.50 Intersect E. Boundary 700 lbs. N. of Towns. cor.

Land the same quality as last noted

August 26. 1806

Corrected Line.

West on the S. Boundary of Sec. 36, T. 3 N., R. 6 E

40.00 set g. sec. port, on true line from which
a Beech 20 in. diameter N 89 E 35¹/₂ lbs. dist. 18

T. 2 N., R. 6 E. 2^d Mer. Ind.^a

a Beech 4 in. dia. leans S 89° W 13 lbs. dist.
 80.00 Set post cor. of sec. 35 & 36 from which
 a Beech 24 in. dia. leans N 52° W 22½ lbs. dist. & 8
 a Do 24 " " " S 52° E 8 " "

West on the S. Boundary of Sec. 35, T. 2 N., R. 6 E
 40.00 Set q. sec. post from which
 a Beech 40 in. dia. leans N 75° W 21½ lbs. dist. & 8
 a Sugar 12 " " " S 75° E 10 " "
 80.00 Set post cor. of sec. 34 & 35 from which
 a W. Oak 10 in. dia. leans S 86° E 9½ lbs. dist. & 8
 a Beech 10 " " " N 46° W 3 " "

West on the S. Boundary of Sec. 34, T. 2 N., R. 6 E
 40.00 Set q. sec. post from which
 a Chestnut 40 in. dia. leans N 49° W 7½ lbs. dist. & 8
 a Dogwood 5 " " " S 49° E 36½ " "
 80.00 Set post cor. of sec. 33 & 34 from which
 a Beech 10 in. dia. leans N 75° E 36 lbs. dist. & 8
 a Sugar 6 " " " S 73° W 21 " "

West on the S. Boundary of Sec. 33, T. 2 N., R. 6 E
 40.00 Set q. sec. post from which
 a B. Oak 24 in. dia. leans N 77° W 25 lbs. dist. & 8
 a W. Oak 12 " " " N 53° E 27 " "
 80.00 Set post cor. of sec. 32 & 33 from which
 a Beech 10 in. dia. leans West 10 lbs. dist. & 8
 a Dogwood 5 " " " N 70° E 15 " "

West on the S. Boundary of Sec. 32, T. 2 N., R. 6 E
 40.00 Set q. sec. post from which
 a B. Oak 5 in. dia. leans S 60° E 6 lbs. dist. & 8
 a Chestnut 10 " " " S 8° W 19 " "

T. 2 N., R. 6 E. 2. Mer. Ind.^a

80.00 set port cor. of sec. 31 & 32 from which
 a Dogwood 5 in. diameter N 13 E 26 lbs. dit. 8
 a Poplar 20 " " " N 83 W 22 " "

West on the S. Boundary of Sec. 31, T. 2 N., R. 6 E
 40.00 a W. Oak 20 in. dia. stands for q. sec. cor.
 69.50 to Township corner.

West Boundary.

North on the E. Boundary of Sec. 36, T. 2 N., R. 5 E

4.50 a Brook 10 lbs. wide corner SE

23.30 a Poplar 29 in. dia.

40.00 set q. sec. port from which

a Beech 20 in. diameter S 55 E 10 lbs. dit. 8

a W. Oak 5 " " " S 87 W 2 1/2 " "

51.00 a Brook 20 lbs. wide corner SE

54.30 a Beech 14 in. dia.

66.10 a Gum 10 in. dia.

80.00 set port cor. of sec. 25 & 36 from which

a Sugar 10 in. diameter S 38 W 9 1/2 lbs. dit. 8

a Do 6 " " " S 25 E 7 " "

(Description of land &c. omitted)

North on the E. Boundary of Sec. 25, T. 2 N., R. 5 E

40.00 set q. sec. port from which

a Beech 5 in. diameter S 23 W 26 lbs. dit. 8

a Poplar 15 " " " N 60 W 36 " "

52.00 a Do 20 " "

80.00 set port cor. of sec. 24 & 25 from which

a Sassafras 5 in. diameter S 11 E 32 lbs. dit. 8

a Do 5 " " " N 72 W 3 " "

Good farming land, timber Beech, Upr. Spruce

North on the E. Boundary of Sec. 24, T. 2 N., R. 5 E

T. 2 N., R. 6 E. 2.^d Mer. Ind.^a

- 3.90 a Poplar 18 in. dia.
 40.00 set g. sec. post from which
 a Hickory 10 in. dia. bears S 7 E 28 lbs. dist. 18
 a B. Oak 20 " " " S 60 E 14 " "
 40.80 a Chestnut 50 " "
 79.10 a B. Oak 30 " "
 80.00 set post cor. of sec. 13 & 24 from which
 a Sugar 10 in. dia. bears N 88 W 14 lbs. dist. 18
 a Hickory 10 " " " S 10 W 20 " "
 Good farming Oak & Hickory timbered land
-

North on the E. Boundary of Sec. 13, T. 2 N., R. 5 E

- 40.00 set g. sec. post from which
 a Gum 15 in. dia. bears S 12 E 6 lbs. dist. 18
 a Dogwood 5 " " " N 6 W 9 " "
 60.00 a Brook - lbs. wide course S W
 60.56 a Gum 18 in. dia.
 80.00 set post for cor. of sec. 12 & 13 from which
 a Beech 6 in. dia. bears S 71 E 16 lbs. dist. 18
 a Chestnut 20 " " " S 74 W 17 " "
 Land level convenient for farming, timber Beech,
 Oak, Hickory, Sugar & Gum
-

North on the E. Boundary of Sec. 12, T. 2 N., R. 5 E

- 40.00 set g. sec. post from which
 a Chestnut 49 in. dia. bears S 86 E 18 lbs. dist. 18
 a Do 40 " " " N 86 W 32 " "
 45.00 a Do 40 " "
 65.00 a Brook 15 lbs. wide course S W
 80.00 set post cor. of sec. 11 & 12 from which
 a Dogwood 5 in. dia. bears S 56 E 12 lbs. dist. 18
 a B. Oak 20 " " " S 75 W 27 " "
 Land the same as last noted
-

T. 2 N., R. 6 E. 2^d Mer. Ind.^a

North on the E. Boundary of Sec. 1, T. 2 N., R. 5 E

13.50 a Brook 10 ths. wide course S W

31.55 a W. Oak 15 in. dia.

40.00 set g. sec. post from which

an Ironwood 6 in. dia. bears N 65° W 8 ths. dist. 8

a Poplar 12 " " " S 40° E 6 " "

Land the same as last noted

80.00 set post cor. of T. 2 & 3 N., R. 5 & 6 E. from which

a W. Oak 20 in. dia. bears N 62° W 5 ths. dist. 8

a Hickory 8 " " " S 83° E 28 " "

This 1/2 mile over very hilly thin soil, hills very high. Surveyed in 1806

South & East Boundaries by

Alexander Holmes

Dep. Surveyor

North & West Boundaries by

Arthur Henrie

Dep. Surveyor.

Subdivision.

North between Sec. 35 & 36, T. 2 N., R. 6 E

37.50 top of nobs S 70° W

40.00 set g. sec. post from which

a Chesnut 13 in. dia. bears N 45° E 17 ths. dist. 8

a Cherr. Oak 12 " " " S 25° E 19 " "

80.00 set post cor. of Sec. 25, 26, 35 & 36 from which

a Sugar 10 in. dia. bears N 65° W 17 ths. dist. 8

" — 10 " " " N 60° E 34 " "

Hilly broken land, Oaks, Beech, Sugar, Poplar, & Ash. Hackelberry brush on the nobs

East on Random between Sec. 25 & 36

2.50 a Branch 5 ths. wide course N

T. 2 N., R. 6 E. 2. Mer. Ind.^a

30.00 a Branch 6 lks. wide course N
 40.00 set temp. g. sec. post
 83.00 Intersect E. Boundary 140 lks. E. of post -
 Hilley, Oak, Poplar, Hickory & Pine

Went blazed between Sec. 25 & 36
 41.50 set g. sec. post at aver. dist. from which
 a W. Oak 18 in. diam. S 27 E 11 lks. dist & 8
 a Chesn. Oak 16 " " " S 27 W 19 " " "
 83.00 to sec. cor.

North between Sec. 25 & 26
 18.72 a W. Oak 16 in. dia.
 23.88 a Branch 8 lks. wide course N 60 W
 40.00 set g. sec. post from which
 a B. Oak 22 in. diam. S 87 W 8 lks. dist & 8
 a W. Oak 10 " " " N 31 E 17 " " "
 43.00 a Branch 8 lks. wide course N 50 W
 60.88 a Do 12 " " " N 30 W
 67.45 a W. Oak 22 in. dia.
 80.00 set post cor. of Sec. 23, 24, 25 & 26 from which
 a W. Oak 12 in. diam. N 16 W 11 lks. dist & 8
 a Do 6 " " " S 89 E 6 " " "
 Low ridges; Oak & Hickory

North between Sec. 34 & 35
 37.88 a W. Oak 20 in. dia. on the top of nob
 40.00 set g. sec. post from which
 a W. Oak 7 in. diam. S 38 W 18 lks. dist & 8
 a Chesn. Oak 16 " " " N 70 W 29 " " "
 68.50 a W. Oak 36 " "
 71.88 a Branch 12 lks. wide course N 50 E
 80.00 set post cor. of Sec. 26, 27, 34 & 35 from which

T. 2 N., R. 6 E., S. Mer. Ind.^a

a Beech 16 in. dia. diam N 14 W 50 lbs. dist. 8
 a Sugar 12 " " " S 23 W 8 " "
 Hilly broken land, Oak, Beech & Hickory

East in Random between Sec. 26 & 35

8.50 a Branch 20 lbs. wide course N
 40.00 set temp. g. sec. port
 04.25 a Branch 12 lbs. wide course N
 80.88 Intersect N. S. line 20 lbs. N. of port -
 High nob., Oak, Poplar & Hickory

West Corrected between Sec. 26 & 35

40.44 set g. sec. port at aver. dist. from which
 a Chesnut Oak 12 in. dia. diam S 69 E 7 lbs. dist. 8
 a Do 8 " " " S 69 W 16 " "
 80.88 to sec. cor. December 6. 1806

North between Sec. 33 & 34

9.25 a Branch 6 lbs. wide course W
 13.30 a Poplar 24 in. dia.
 40.00 set g. sec. port from which
 a Poplar 8 in. dia. diam N 62 W 30 lbs. dist. 8
 a W. Oak 36 " " " South 35 " "
 60.56 a Branch 8 lbs. wide course W
 80.00 set port cor. of Sec. 27, 28, 33 & 34 from which
 a B. Oak 12 in. dia. diam N 29 W 7 lbs. dist. 8
 a Poplar 33 " " " S 7 E 54 " "
 Upland good for the Plough, Oak, Beech, Ches-
 nut & Poplar

East in Random between Sec. 27 & 34

4.00 a Branch 10 lbs. wide course S 60 W
 25.00 top of nob. Offset North 5.50 lbs. East

T. 2 N., R. 6 E. 2. Mer. Ind.^a

38.50 Ch. South 5.50 Ch.

63.50 fall in tree line

80.00 Intersect N. & S. line 100 lbs. N. of port -
Hilly, Pine, Oak, Poplar & Hickory

West connected between Sec. 27 & 34

40.00 set of sec. port at aver. dist. a steep rock on
the side of a hill

80.00 to sec. cor.

North between Sec. 26 & 27

13.25 a Branch 12 lbs. wide course E

17.75 a Sugar 22 in. dia.

27.25 a Branch 15 lbs. wide course E

40.00 set of sec. port from which

a Dogwood 8 in. dia. leans S 62° W 30 lbs. dist. 8

a Poplar 24 " " " N 10° W 86 " "

54.38 a Branch 10 lbs. wide course E

80.00 set port cor. of sec. 22, 23, 26 & 27 from which

a B. Oak 18 in. dia. leans N 61° W 7 lbs. dist. 8

a W. Oak 20 " " " S 46° E 34 " "

Low ridges, Beech, Oak, & Poplar

North between Sec. 32 & 33

16.66 a W. Oak 36 in. dia.

25.25 a Branch 20 lbs. wide course W

40.00 set of sec. port from which

a Beech 13 in. dia. leans N 64° W 11 lbs. dist. 8

a W. Oak 14 " " " S 80° E 18 " "

77.50 a Branch 15 lbs. wide course W

80.00 set port cor. of sec. 28, 29, 32 & 33 from which

a Beech 20 in. dia. leans S 18° W 25 lbs. dist. 8

a Poplar 12 " " " S 80° E 20 " "

T. D. N., R. O. O. I. Mer. Ind.^a

Some hills in the last 1/2 mile, Beech, Poplar,
Chesnut

East on Random between Sec. 28 & 33

- 23.50 a Branch 12 m. wide course S 60 E
40.00 set temp. g. sec. post
65.00 top of nob
80.00 Entered N. G. line — m. — of post —
Hilly, Beech, Poplar & Oak

West Connected between Sec. 28 & 33

- 40.00 set g. sec. post at aver. dist. from which
a Chesnut Oak 10 in. diameter S 73 E 13 m. dist. 1/2
a Do 20 " " " S 44 E 18 " "
80.00 to sec. cor.

North between Sec. 27 & 28

- 30.38 a Poplar 18 in. dia.
31.50 a Drain course W
40.00 set g. sec. post from which
a W. Oak 14 in. diameter S 32 E 10 m. dist. 1/2
a Beech 7 " " " N 31 E 24 " "
80.00 set post cor. of sec. 21, 22, 27 & 28 from which
a Poplar 24 in. diameter N 39 W 13 m. dist. 1/2
a W. Oak 12 " " " S 47 E 7 " "
Over high nob, Oak, Poplar, Chesnut & Hickory
December 7, 1806

North between Sec. 31 & 32

- 1.00 a Branch 40 m. wide course S 40 W
13.50 a Poplar 36 in. dia.
28.00 a Branch 40 m. wide course S 40 E
33.50 same " course S 40 W

T. L. N., R. C. O. L. Mer. Ind. a

- 40.00 set g. sec. port from which
 a Poplar 40 in. diam. N 80 E 10 lbs. dist. 8
 a Beech 10 " " " S 12 W 26 " "
 70.25 a Gum 22 " "
 80.00 set port cr. of sec. 29, 30, 31 & 32 from which
 a Beech 14 in. diam. S 33 E 10 lbs. dist. 8
 a B. Oak 24 " " " N 13 1/2 E 44 " "
 Level land, Beech, Poplar & Oak
-

East on Random between Sec. 29 & 32

- 10.00 a Branch 15 lbs. wide course S
 18.38 a sec. Dr. *George* 4 " 8 1/2 " N
 40.00 set temp. g. sec. port
 72.38 a Branch 20 lbs. wide course N
 80.40 Intersect N. G. line 50 lbs. S. of port -
 The last 1/2 mile low ridges, 1 1/2 mile hilly
 Beech, Oak, Poplar & Hickory

Corrected line inadvertently omitted, see page 347.

North between Sec. 28 & 29

- 32.00 a Branch 20 lbs. wide course N 30 E
 40.00 set g. sec. port from which
 a Beech 24 in. diam. N 21 W 21 lbs. dist. 8
 a Dr 14 " " " S 23 E 35 " "
 49.75 a Branch 10 lbs. wide course E
 61.86 a W. Oak 10 in. diam.
 80.00 set port cr. of sec. 20, 21, 28 & 29 from which
 a R. Oak 6 in. diam. N 43 E 10 lbs. dist. 8
 a Dr 7 " " " N 33 W 27 " "
 Hilly, some bottom on the Branches, Oak,
 Beech, Poplar & Hickory
-

West between Sec. 30 & 31

- 21.08 a W. Oak 22 in. diam.

T. 2 N., R. 6 E., 2^d Mer. Ind. ^a

- 23.50 a Branch 6 lbs. wide course S
 31.25 a Do 12 " " " S
 40.00 set of sec. port from which
 a Beech 10 in. diameter N 46 W 11 lbs. dist. 8
 a W. Oak 22 " " " N 35 1/2 E 15 " "
 52.00 a Branch 4 lbs. wide course S 50 W
 72.12 a Do 12 " " " S
 80.00 Intersected W. Boundary 147 lbs. S. of port -
 set port at intersection cor. of sec. 30 & 31 from
 which a Beech 12 in. diameter N 18 E 39 lbs. dist. 8
 a Do 27 " " " S 42 E 57 " "
 Low ridges, Oak, Beech & Poplar
-

North between Sec. 29 & 30

- 18.00 a Poplar 36 in. dia.
 34.12 a Branch 15 lbs. wide course S 40 E
 40.00 set of sec. port from which
 a Beech 8 in. diameter N 45 E 3 lbs. dist. 8
 a Do 10 " " " N 81 W 17 " "
 62.88 a W. Oak 23 " "
 80.00 set port cor. of sec. 19, 20, 29 & 30 from which
 a W. Oak 21 in. diameter N 27 W 20 lbs. dist. 8
 a Do 12 " " " S 48 W 38 " "
 Low ridges, good Plough land, Oak,
 Poplar & Beech
-

West between Sec. 19 & 30

- 7.62 a Branch 15 lbs. wide course S
 21.38 a B. Oak 23 lbs. dia.
 40.00 set of sec. port from which
 a Beech 26 in. diameter N 5 W 28 lbs. dist. 8
 an Ash 12 " " " S 73 E 22 " "
 42.75 a Branch 12 lbs. wide course S

T. J. N., R. C. O. L. Mer. Ind.?

48.23 a Poplar 27 in. dia.

76.38 a Branch 8 Ms. wide course S 50 E

79.50 Intersect W. Boundary 137 Ms. S. of port -
 set port at intersection cor. of sec. 19 & 30 from
 which a Poplar 44 in. dia. bears N 50 E 17 Ms. dist. &
 a Beech 8 " " " S 77 E 14 " "
 Low ridges, good Plough land, Oak, Beech
 & Poplar

East on Random between Sec. 20 & 29

40.00 set temp. q. sec. port

63.38 a Branch 15 Ms. wide course S

80.00 Intersect N. & S. line 130 Ms. N. of port -

Hilly broken land, Oak, Beech & Hickory

West Connected between Sec. 20 & 29

40.50. set q. sec. port at aver. dist. from which
 a Gum 10 in. dia. bears S 70 E 11 Ms. dist. &
 a Chestnut 6 " " " N 87 W 4 " "

..... to sec. cor. December 8. 1806

East on Random between Sec. 21 & 28

30.00 a Branch 30 Ms. wide course N

40.00 set temp. q. sec. port

80.00 Intersect N. & S. line 110 Ms. N. of port -

Hilly, some bottom on the Branch, Oak,
 Beech, Sugar & Poplar

West Connected between Sec. 21 & 28

40.00 set q. sec. port at aver. dist. from which
 a Sugar 7 in. dia. bears East 10 Ms. dist. &
 a Poplar 3 " " " N 89 W 25 " "

80.00 to sec. cor.

T. 2 N., R. 6 E., S. Mer. Ind.^a

East on Random between Sec. 22 & 27

3.50 a Branch 3¹/₂ m. wide course S 60 E

16.00 same " course N 50 E

22.75 a Branch 6 m. wide course N

40.00 set temp. g. sec. post

58.00 a Branch 10 m. wide course N 30 E

80.00 Intersect N & S. line at post -

Low ridges; Oak, Beech & Poplar

West blazed between Sec. 22 & 27

40.00 set g. sec. post at aver. dist. from which
a W. Oak 13 in. diam. N 79 E 23 m. dist. &
a Beech 12 " " " N 23 W 26 " "

80.00 to sec. cor.

East on Random between Sec. 23 & 26

8.00 a Branch 6 m. wide course N 6 E

40.00 set temp. g. sec. post

49.00 a Branch 40 m. wide course N

78.50 Intersect N & S. line at post -

Low ridges, some bottom, Oak, Beech & Poplar
some Hickory

West blazed between Sec. 23 & 26

39.25 set g. sec. post at aver. dist. from which
a Beech 12 in. diam. S 4 E 14 m. dist. &
a Do 11 " " " N 60 E 28 " "

78.50 to sec. cor.

East on Random between Sec. 24 & 25

12.62 a Branch 6 m. wide course N

40.00 set temp. g. sec. post

52.60 top of high nob

T. L. N., R. O. E. L. Mer. Ind.^a

75.00 a Drain course S

81.50 Intersect E. Boundary 75 th. S. of port -
Hilly, Oaks, Hickory & Pine

West Connected between Sect. 24 & 25

40.75 set of sec. port at aver. dist from which
a Chestnut Oak 7 in. diam N 43 E 10 th. dist 18
a Pine 12 " " " S 14 E 41 " "

81.50 to sec. cor.

North between Sect. 23 & 24

23.00 top of rob

40.00 set of sec. port from which
a B. Oak 7 in. diam N 12 E 12 th. dist 18
a Do 6 " " " S 60 E 18 " "

43.00 a Branch 4 th. wide course N 40 W

56.75 a Poplar 24 in. dia.

65.00 a Branch 50 th. wide course N 30 E

70.25 a path

80.00 set port cor. of sec. 13, 14, 23 & 24 from which
a Beech 10 in. diam N 66 W 20 th. dist 18
a Do 12 " " " N 35 E 26 " "

First 1/2 mile hilly thin land, Oaks, Beech
& Poplar. December 9. 1806

North between Sect. 22 & 23

25.00 a Branch 20 th. wide course N 30 E

40.00 set of sec. port from which
a R. Oak 7 in. diam N 41 W 7 th. dist 18
a Poplar 12 " " " N 85 E 20 " "

51.25 a R. Oak 22 " "

57.30 a Branch 10 th. wide course E

80.00 set port cor. of sec. 14, 15, 22 & 23 from which

T. L. N., R. C. E. I. Mer. Ind.?

a B. Oak 20 in. dia. lean S 88 E 4 lbs. dia. 8
 an Ironwood 10 " " " S 9 W 22 " "
 Low ridges, Oaks, Beech, Poplar & Hickory

North between Sec. 21 & 22

4.50 a W. Oak 20 in. dia.
 40.00 set of sec. post from which
 a W. Oak 16 in. dia. lean S 15 W 20 lbs. dia. 8
 a Do 13 " " " S 50 E 16 " "
 58.81 a Do 24 " "
 80.00 set post cor. of Sec. 15, 16, 21 & 22 from which
 a Beech 14 in. dia. lean S 84 W 5 lbs. dia. 8
 a B. Oak 18 " " " N 58 E 27 " "
 Hilly, Oaks & Hickory, some Beech

North between Sec. 20 & 21

14.75 a Branch 16 lbs. wide corner E
 29.75 a Chestnut 40 lbs. wide
 40.00 set of sec. post from which
 a W. Oak 18 in. dia. lean N 58 E 23 lbs. dia. 8
 a Do 9 " " " N 43 W 12 " "
 57.50 a Do 20 " "
 80.00 set post cor. of Sec. 16, 17, 20 & 21 from which
 a W. Oak 13 in. dia. lean S 9 E 45 lbs. dia. 8
 a B. Oak 18 " " " S 26 W 50 " "
 Hilly broken land, Oak & Hickory

North between Sec. 19 & 20

30.50 a Chestnut Oak 22 in. dia.
 40.00 set of sec. post from which
 a Chestnut Oak 18 in. dia. lean S 51 E 15 lbs. dia. 8
 a B. Oak 20 " " " S 71 W 23 " "
 58.44 a Chestnut Oak 18 " "

T. 2 N., R. 6 E. 2. Mer. Ind.^a

67.75 a Branch 12 lks. wide course S60E
 80.00 set post on. of sec. 17, 18, 19 & 20 from which
 a R. Oak 9 in. dia. bears S34W10 lks. dist. 1/8
 a W Oak 10 " " " N74E38 " "
 The post stands on a steep hill side
 This mile high nob, Oak & Chesnut

West between Sec. 18 & 19

40.00 set g. sec. post from which
 a R. Oak 22 in. dia. bears N27E47 lks. dist. 1/8
 a Dogwood 7 " " " S14W16 " "
 62.88 a Poplar 33 " "
 79.20 Intersect W. Boundary 350 lks. S. of post -
 set post at intersection on. of sec. 18 & 19 from
 which a Chesnut 40 in. dia. bears S44E28 lks. dist.
 & a Gum 12 " " " N31E18 " "
 The 1st 1/4 mile nob, then low ridges, good
 Plough land, Oak, Beech, Poplar & Chesnut.

East on Random between Sec. 17 & 20

40.00 set temp. g. sec. post
 40.50 a Branch 20 lks. wide course S
 81.50 Intersect N. G. line 150 lks. N. of post -
 Hilly broken land, Oak, Hickory & Beech

West Corrected between Sec. 17 & 20

40.75 set g. sec. post at aver. dist. from which
 a Beech 16 in. dia. bears N28W6 lks. dist. 1/8
 a Do 30 " " " S12W32 " "
 81.50 to sec. cor. December 10. 1806

East on Random between Sec. 16 & 21

40.00 set temp. g. sec. post

T. J. N., R. C. E. 2^d Mer. Ind^a

60.50 Bottom to the port

67.25 a Branch 40 lbs. wide course N

80.00 Intersect N & S. line 125 lbs. S. of port -

Hilly, Oaks & Hickory. on the Upland, Beech & Poplar in the bottom

West Connected between Sec. 16 & 21

40.00 Set g. sec. port at aver. dist. from which
a W. Oak 16 in. diameter N 75 E 16 lbs. dist. 8
a Do 10 " " " S 56 W 25 " "

80.00 to sec. cor.

East on Random between Sec. 15 & 22

30.00 top of high nob

40.00 set temp. g. sec. port

80.00 Intersect N & S. line 120 lbs. S. of port -
Hilly, Oaks & Hickory

West Connected between Sec. 15 & 22

40.00 Set g. sec. port at aver. dist. from which
a Chestnut Oak 20 in. diameter N 38 E 41 lbs. dist. 8
a W. Oak 20 " " " S 32 E 35 " "

80.00 to sec. cor.

East on Random between Sec. 14 & 23

10.00 a Branch 8 lbs. wide course S 50 E

21.50 a trail

26.75 a Branch 7 lbs. wide course S 40 E

40.00 set temp. g. sec. port

58.50 a Branch 6 lbs. wide course S 60 E

71.50 a Do 10 " " " N 60 E

77.25 Intersect N & S. line 25 lbs. S. of port -

Low ridges, good land, Oak, Poplar & Beech

T. 2 N., R. 6 E. 2^d Mer. Ind.^a

West Connected between Sec. 14 & 23

38.87 set g. sec. post at aver. dist. from which
 a Poplar 33 in. diam. N 72 E 5 lbs. dist. 8
 a W. Oak 30 " " " N 65 W 49 " "

77.25 to sec. cor.

East on Random between Sec. 13 & 24

1.50 a Branch 16 lbs. wide course S 20 E
 17.00 a Dr 50 " " " N
 40.00 set temp. g. sec. post
 77.00 a Branch 20 lbs. wide course N
 79.26 Intersect E. Boundary 25 lbs. S. of post -
 Bottom, Beech, Poplar & Sugar

West Connected between Sec. 13 & 24

39.63 set g. sec. post at aver. dist. from which
 a Beech 13 in. diam. N 55 W 10 lbs. dist. 8
 a Dr 12 " " " S 40 E 17 " "

79.26 to sec. cor.

North between Sec. 13 & 14

2.00 a Branch 15 lbs. wide course E
 16.75 a Dr 12 " " " E
 27.75 a B. Oak 18 in. diam.
 40.00 set g. sec. post from which
 a Hickory 12 in. diam. - 65 W 17 lbs. dist. 8
 a Dr 7 " " " N 62 E 13 " "
 80.00 set post cor. of sec. 11, 12, 13 & 14 from which
 an Ash 10 in. diam. S 61 W 16 lbs. dist. 8
 a Poplar 7 " " " N 19 E 12 " "
 Low ridges, Oak, Poplar, Beech & Brush

North between Sec. 14 & 15

corrupt?

T. 2 N., R. 6 E., 2^d Mer. Ind.^a

21.20 a W. Oak 24 in. dia.

21.50 a trail

40.00 set g/sec. post from which
an Ironwood 6 in. dia. bears N40E 10 lbs. dist. 8
a R. Oak 14 " " " N65W 8 " "

49.70 a W. Oak 24 " "

80.00 set post cor. of sec. 10, 11, 14 & 15 from which
a Chestnut Oak 7 in. dia. bears N60E 3 lbs. dist. 8
a R. Oak 6 " " " S35W 14 " "
Hilly, Oaks & Hickory December 11, 1866

North between Sec. 15 & 16

13.50 a Branch 50 lbs. wide course N20E

15.18 a R. Oak 14 in. dia.

40.00 set g/sec. post from which
an Elm 14 in. dia. bears S16W 24 lbs. dist. 8
a Sycamore 8 " " " N30E 11 " "

40.50 a Branch 60 lbs. wide course E

50.38 a Poplar 22 in. dia.

80.00 set post cor. of sec. 9, 10, 15 & 16 from which
a W. Oak 9 in. dia. bears S4E 13 lbs. dist. 8
a B. Oak 8 " " " N49E 22 " "
Low ridge, Bottom on the branches Beech, Oak
& Poplar

North between Sec. 16 & 17

40.00 set g/sec. post from which
a W. Oak 10 in. dia. bears N89E 5 lbs. dist. 8
a Maple 16 " " " N27E 21 " "

61.62 a Branch 12 lbs. wide course E

69.09 a B. Oak 20 in. dia.

80.00 set post cor. of sec. 8, 9, 16 & 17 from which
a Chestnut Oak 14 in. dia. bears S62W 16 lbs. dist. 8

T. 2 N., R. 6 E. 2. Mer. Ind.?

a Chesn. Oak 13 in. dia. bears S 47 E 29 lbs. dist.

Hilly, Oak & Hickory

North between Sec. 17 & 18

5.50 a Branch 12 lbs. wide course S 40 E

6.75 a R. Oak 20 in. dia.

32.02 a Branch 12 lbs. wide course S 50 E

40.00 set g. sec. post from which

a R. Oak 7 in. dia. bears S 4 1/2 W 27 lbs. dist. 8

a W. Oak 5 " " " N 52 W 16 " "

50.50 a Branch 10 lbs. wide course S 40 E

80.00 set post cor. of sec. 7, 8, 17 & 18 from which

a Beech 16 in. dia. bears S 67 E 12 lbs. dist. 8

a Poplar 10 " " " S 54 W 26 " "

Hilly, Oak, Beech, Poplar & Chesnut

West between Sec. 7 & 18

40.00 set g. sec. post from which

a W. Oak 12 in. dia. bears S 56 E 23 lbs. dist. 8

a Chesn. Oak 16 " " " N 5 W 24 " "

44.27 a Do 24 " "

80.00 Intersect W. Boundary 298 lbs. S. of post -

set post at intersection cor. of sec. 7 & 18 from which

a W. Oak 40 in. dia. bears N 50 E 47 lbs. dist. 8

a Beech 13 " " " S 20 E 35 " "

First 1/2 mile hilly, 2 1/2 mile good Ploughland
Oak, Beech, Poplar & Chesnut

East on Random between Sec. 8 & 17

3.50 a Branch 10 lbs. wide course S 40 E

40.00 set temp. g. sec. post

68.00 a Branch 10 lbs. wide course S

80.50 Intersect N. E. line 250 lbs. N. of post -

T. 2 N., R. 6 E. 2. Mer. Ind.^a

Hilly broken land, Oak & Hickory

West Connected between Sec. 8 & 17

40.25 set g^l sec. post at over. dist. from which
a W. Oak 10 in. dis. bears N 26° W 21 lbs. dist. 8
a Do 18 " " " N 33° E 19 " "

80.50 to sec. cor.

East on Random between Sec. 9 & 16

27.00 a Branch 20 lbs. wide course N

40.00 set temp. g^l sec. post

79.50 Intersect N & S. line 25 lbs. S. of post -
Hilly, Oak & Hickory

West Connected between Sec. 9 & 16

39.75 set g^l sec. post at over. dist. from which
a Hickory 8 in. dis. bears S 52° E 14 lbs. dist. 8
a W. Oak 10 " " " N 55° E 22 " "

79.50 to sec. cor. December 12, 1866

East on Random between Sec. 10 & 15

24.00 Bottom to the mile post

37.00 a Branch 10 lbs. wide course S

38.00 Bottom

40.00 set temp. g^l sec. post

55.00 a Branch 50 lbs. wide course N

79.50 Intersect N & S. line 250 lbs. S. of post -
Bottom & Upland, Beech, Oak & Poplar

West Connected between Sec. 10 & 15

39.00 in Beech 18 in. dis. stands for g^l sec. cor. from which
a Beech 14 in. dis. bears N 18° E 22 lbs. dist.

--- to sec. cor.

T. L. N., R. C. O. L. Mer. Ind^a.

East on Random between Sect. 11 & 14

40.00 set temp. g. sec. port

70.00 a Branch 10 lbs. wide course N50 E

80.00 Intersect N. G. line at port -

Low ridges & Barrens, Oak, & Hickory, bushy

West blazed between Sect. 11 & 14

40.00 set g. sec. port at aver. dist. from which

a R. Oak 7 in. diameter S30 W26 lbs. dist. 8

no other Bearing tree

80.00 to sec. cor.

East on Random between Sect. 12 & 13

40.00 set temp. g. sec. port

80.66 Intersect E. Boundary 70 lbs. N. of port -

Low ridges & Barrens

West Connected between Sect. 12 & 13

40.33 set g. sec. port at aver. dist. from which

a Quaking Asp 9 in. diameter N56 W7 lbs. dist. 8

a R. Oak 6 " " " N45 E8 " "

80.66 to sec. cor.

North between Sect. 11 & 12

40.00 set g. sec. port (Bearings none)

74.00 leave Barrens with a thick growth of Brush

80.00 set port cor. of Sect. 1, 2, 11 & 12 from which

a Hickory 6 in. diameter N52 E12 lbs. dist. 8

a Poplar 12 " " " S10 W13 " "

Low Barren ridges, Oak, Hickory & Brush

North between Sect. 10 & 11

25.00 55.00 Bottom to port

T. 2 N., R. 6 E., 2^d Mer. Ind.^a

- 30.15 a Beech 18 in. dia.
 40.00 set of sec. post from which
 a Beech 16 in. dia. bears N 12 E 20 lbs. dist. 8
 a Dr 22 " " " S 42 W 16 " "
 40.00 a Branch 50 lbs. wide course E
 50.30 a Beech 22 in. dia.
 80.00 set post cor. of sec. 2, 3, 10 & 11 from which
 a Beech 13 in. dia. bears S 74 E 3 lbs. dist. 8
 a Dr 24 " " " N 61 W 22 " "
 Beech, Poplar, Ash & Oak
-
- North between Sec. 9 & 10
 2.10 a Branch 6 lbs. wide course E
 20.50 a W. Oak 14 in. dia.
 40.00 set of sec. post from which
 a W. Oak 8 in. dia. bears N 9 W 26 lbs. dist. 8
 a Br. Oak 10 " " " S 82 E 20 " "
 58.02 a Branch 16 lbs. wide course E
 60.62 an Ash 18 in. dia.
 72.00 a Branch 6 lbs. wide course E
 80.00 set post cor. of sec. 3, 4, 9 & 10 from which
 a W. Oak 20 in. dia. bears N 64 E 15 lbs. dist. 8
 a Beech 10 " " " S 44 W 23 " "
 Hilly bottom on the Branches, Beech, Oak & Poplar
-

- North between Sec. 8 & 9
 19.75 a W. Oak 16 in. dia.
 39.50 a Branch 6 lbs. wide course E
 40.00 set of sec. post from which
 a Beech 16 in. dia. bears S 20 E 15 lbs. dist. 8
 a R. Oak 20 " " " S 70 W 12 " "
 46.50 a Branch 6 lbs. wide course E

T. D. N., R. O. E. L. Mer. Ind. a.

64.31 a W. Oak 20 in. dia.

80.00 set port cor. of sec. 4, 5, 8 & 9 from which
a W. Oak 10 in. dia. bears N 25° W 18 lbs. dist. 18
a Do 10 " " " N 34° E 30 " "
Hilly land & brushy, Oak & Hickory
December 13, 1806

North. between Sec. 7 & 8

1.00 a Branch 12 lbs. wide course S 50° E
25.50 a Do 12 " " " S 60° E
40.00 set of sec. port from which
a W. Oak 22 in. dia. bears N 44° E 11 lbs. dist. 18
a Do 12 " " " N 70° W 17 " "
80.00 set port cor. of sec. 5, 6, 7 & 8 from which
a Chesn. Oak 16 in. dia. bears S 57° E 47 lbs. dist. 18
a Do 33 " " " N 42° W 66 " "
Hilly, Oak & Chestnut

West between Sec. 6 & 7

40.00 set of sec. port from which
a W. Oak 22 in. dia. bears S 52° E 39 lbs. dist. 18
a Gum 10 " " " N 53° W 19 " "
55.75 a Branch 10 lbs. wide course S 60° W
70.58 a Hickory 20 in. dia.
77.00 Intersect W. Boundary 425 lbs. S. of port -
set port at intersection cor. of sec. 6 & 7 from which
a Maple 10 in. dia. bears S 35° E 37 lbs. dist. 18
a Beech 8 " " " N 69° E 25 " "
Low ridges, Oak, Chestnut, Beech & Poplar

North between Sec. 5 & 6

40.00 set of sec. port from which
a Chesn. Oak 14 in. dia. bears S 67° E 23 lbs. dist.

T. 2 N., R. 6 E. 2^d Mer. Ind.^a

57.12 a Chesnut Oak 12 in. dia.

85.50 Intersect N. Boundary 570 lbs. E. of port -
set port at intersection cn. of sec. 5 & 6 from which
a Chesnut 20 in. dia. bears S 10 W 53 lbs. dist.

Hilly & high nob, Oak & Chesnut

East on Random between Sec. 5 & 8

14.00 a Branch 6 lbs. wide course S

40.00 set temp. of sec. port

62.00 a Branch 8 lbs. wide course S

81.50 Intersect N. S. line 270 lbs. N. of port -

High nob & steep, Oak & Hickory

West Connected between Sec. 5 & 8

40.75 set of sec. port at aver. dist. from which
a Chesn. Oak 16 in. dia. bears N 74 E 19 lbs. dist. 8

a Do 12 " " " N 84 W 12 " "

81.50 to sec. cn.

East on Random between Sec. 4 & 9

33.00 a Branch 10 lbs. wide course S 30 E

40.00 set temp. of sec. port

80.00 Intersect N. & S. line at port -

(Description of land &c. omitted)

West blazed between Sec. 4 & 9

40.00 set of sec. port at aver. dist. from which

a W. Oak 14 in. dia. bears S 64 E 7 lbs. dist. 8

a Do 13 " " " N 40 W 23 " "

80.00 to sec. cn.

East on Random between Sec. 3 & 10

6.50 a Branch 20 lbs. wide course N

T. L. N., R. O. E. L. Mer. Ind.?

12.50 Bottom

40.00 temp. of sec. port

47.50 a Branch 6 Ms. wide course N

71.50 Bottom to the port

77.62 Intersect N & S. line 200 Ms. S. of port -

Low Ridges & Bottom, Oak, Beech, Poplar & Hickory

West Corrected between Sec. 3 & 10

38.81 lat of sec. port at aver. dist. from which
a 41 Oak 10 in. diameter S 23 E 9 Ms. dist. 18

a Do 9 " " " N 21 W 9 " "

77.62 to sec. cor.

East on Random between Sec. 2 & 11

16.00 a Branch 50 Ms. wide course N

18.00 Bottom

40.00 temp. of sec. port

58.78 a Branch 6 Ms. wide course N

80.00 Intersect N & S. line at the port -

Low ridges, Oak, Poplar & Beech. Brushy

West Corrected between Sec. 2 & 11

40.00 lat of sec. port at aver. dist. from which

a Dogwood 7 in. diameter S 63 E 10 Ms. dist. 18

a Poplar 7 " " " N 9 W 13 " "

80.00 to sec. cor.

East on Random between Sec. 1 & 12

23.50 a Branch 12 Ms. wide course N

40.00 lat temp. of sec. port in Barrens

80.50 Intersect E. Boundary 140 Ms. N. of port -

Level Barrens, Oak & Hickory, Brush, Briers

T. J. N., R. 6 E., T. 2 Mer. Ind.^a

& Grape vines

West Connected between Sec. 1 & 2

40.25 set g. sec. post at aver. dist. from which
 a ~~Buckeye~~ 10 in. diam. N 54° W 14 lbs. dist. 8
 a R. Oak 7 " " " S 37° E 12 " "

80.50 to Sec. Cor.

North between Sec. 1 & 2

11.80 a Branch 6 lbs. wide course E

33.00 a Beech 22 in. dia.

40.00 set g. sec. post from which
 a Beech 22 in. diam. N 22° E 37 lbs. dist. 8
 an Ash 7 " " " N 32° W 21 " "

the post stands in a Branch 6 lbs. wide course E

78.50 a Branch 4 lbs. wide course N 40° W

79.25 Intersect N. Boundary 43 lbs. N. of post -
 set post at intersection cn. of Sec. 1 & 2 from which
 a W. Oak 6 in. diam. N 2° E 10 lbs. dist. 8
 a Beech 20 " " " S 34° E 38 " "

Low ridges, some Brush, Oak, Beech & Poplar

North between Sec. 2 & 3,

9.50 Bottom

20.00 Bottom 30.00 —

40.00 set g. sec. post from which
 a Beech 20 in. diam. N 67° W 18 lbs. dist. 8
 a Buckeye 14 " " " N 44° E 25 " "

41.75 a Branch 50 lbs. wide course E

63.00 a Do 12 " " " E

65.50 a Do 7 " " " E

67.38 a W. Oak 18 in. dia.

80.12 Intersect N. Boundary 55 lbs. E. of post —

T. L. N., R. C. E. L. Mer. Ind.^a

set post at intersection cor. of sec. 2 & 3 from which
 a Beech 8 in. dia. bears N 42° W 70 yds. dist. & 8
 a Do 9 " " " S 33° E 5 " "
 Bottom & upland, Beech, Oak & Poplar

North between Sec. 3 & 4

11.50 a Branch 4 yds. wide course E
 15.62 a Do 12 " " " E
 36.50 a B. Oak 22 in. dia.
 40.00 set of sec. post from which
 a W. Oak 6 in. dia. bears N 60° E 13 yds. dist. & 8
 a Dogwood 8 " " " S 30° W 6 " "
 85.00 Intersect N. Boundary 425 yds. E. of post—
 set post at intersection cor. of sec. 3 & 4 from which
 a Beech 10 in. dia. bears S 40° W 6 yds. dist. & 8
 a Do 10 " " " S 88° E 23 " "
 Low ridges, Beech, Oak, Poplar & Ash, some
 Hickory

North between Sec. 4 & 5

25.42 a W. Oak 18 in. dia.
 40.00 set of sec. post from which
 a P. Oak 6 in. dia. bears N 80° E 12 yds. dist. & 8
 a Do 10 " " " S 49° E 18 " "
 78.00 a Branch 10 yds. wide course E
 86.00 Intersect N. Boundary 625 yds. E. of post—
 set post at intersection cor. of sec. 4 & 5 from which
 a W. Oak 4 in. dia. bears N 38° E 41 yds. dist. & 8
 a Beech 12 " " " S 12° E 29 " "
 The first 600 ft. hilly, Oak, Poplar & Ash
 some Beech. December 15. 1886. Monday

Boundary of Clark's Grant.

T. 2 N., R. 6 E. 2.^d Mer. Ind.^a

347

Beginning at a post on the S. Boundary of Sec.
36, thence

N 55 E 22.50 to a post in E. Boundary of Sec. 36 from
which a W. Oak 4 in. dia. bears N 72 W 19.00. dist. .83

a S 7 " " " N 16 W 53 " "

Surveyed in 1806, by

Jacob Fowler

Dep. Surveyor

I certify that the foregoing transcript of
Field Notes of the survey of Township N.^o 2 North,
in Range N.^o 6 East of the 2.^d Principal Merid-
ian, in the State of Indiana, has been compared
with the original on file in this office, and found
to be correct.

Surveyor General's Office,

Cincinnati, March 19. 1842

J. P. Cairnes
Sur. Genl.

Omission on page 328 supplied.

West Cornered between Sec. 29 & 32

40.20 dist of sec. post at aver. dist. from which

a Hickory 10 in. dia. bears S 86 W 30.00. dist. .83

a Gum 14 " " " S 43 E 18 " "

80.40 to sec. cor.
